

NewBrick™ Mortar Admix

DS883

An Acrylic Admixture for Type N and S Mortar

Description

NewBrick Mortar Admix is a premium formulation of acrylic polymers used with mortar. It improves adhesion and physical properties such as compressive strength and flexural strength. NewBrick Mortar Admix is a white, milky liquid used to replace some or all of the water normally used to prepare cement mortar mixes for use with Dryvit's NewBrick veneer.

Use

Used as an additive for Type N or S mortar used with Dryvit NewBrick to improve curing, adhesion and strength properties.

Packaging

Available in 1 qt (0.95 L) and 5 gal (19 L) pails.

Mixing – Blend water and NewBrick Mortar Admix in a clean container in the proportions described in the Dryvit NewBrick Veneer Application Instructions [DS871](#). Mix the mortar in accordance with the manufacturer's printed instructions for the material, using a 4:1 ratio of water to NewBrick Mortar Admix.

Do not overmix as excessive mixing may result in air entrainment and foaming.

Application

Apply the prepared mortar mixture in accordance with manufacturer's directions and NewBrick Application Instructions [DS871](#).

Clean Up – Clean tools with warm, soapy water while still wet.

Shelf Life and Storage

Shelf life is 2 years, properly stored in unopened containers.

NewBrick Mortar Admix must be stored at a minimum of 40 °F (4 °C) and a maximum of 100 °F (38 °C) in tightly sealed containers protected from weather and out of direct sunlight.

Cautions and Limitations

- NewBrick Mortar Admix will allow the mortar to retain moisture longer so the working time of the mortar is extended compared to unmodified mortar.
- Protect the wall from weather, and other damage until the mortar is fully cured.

Technical and Field Services

Available on request.



Dryvit Systems, Inc.
One Energy Way
West Warwick, RI 02893
800-556-7752
www.dryvit.com

Information contained in this data sheet conforms to the standard detail recommendations and specifications for the installation of Dryvit Systems, Inc. products as of the date of publication of this document and is presented in good faith. Dryvit Systems, Inc. assumes no liability, expressed or implied, as to the architecture, engineering or workmanship of any project. To ensure that you are using the latest, most complete information, contact Dryvit Systems, Inc.

For more information on [Dryvit Systems](#) or [Continuous Insulation](#), visit these links.

