

# SAFETY DATA SHEET



Revision Date 25-Apr-2017  
Version 1

## 1. Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Product name Demandit® Sanded  
Product code 011070197

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Restricted to professional users  
Restrictions on use No information available  
Uses advised against Not suitable for use in homemaker (DIY) applications

### 1.3 Details of the supplier of the safety data sheet

Supplier Dryvit System, Inc.  
One Energy Way  
West Warwick, RI 02893  
(401) 822-4100

E-mail Address ehs@dryvit.com

### 1.4 Emergency telephone number

Emergency telephone number Chemtrec: +1 703-527-3887 ex-USA  
Chemtrec: 1-800-424-9300 USA

## 2. Hazards identification

### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910.1200

Carcinogenicity	Category 1A
-----------------	-------------

### 2.2 Label elements

**Signal Word**  
Danger

**Hazard Statements**  
May cause cancer

**Precautionary Statements - Prevention**

Obtain special instructions before use  
Do not handle until all safety precautions have been read and understood  
Use personal protective equipment as required

**Precautionary Statements - Response**

If exposed or concerned: Get medical advice/attention

**Precautionary Statements - Storage**

Store in accordance with local regulations

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**2.3. Other Hazards Hazards not otherwise classified (HNOC)**

Not Applicable

**2.4 Other information**

Not Applicable

### 3. Composition/Information on Ingredients

**Substance****Mixture**

Chemical Name	CAS No.	Weight-%
Crystalline silica (Quartz) (Respirable)	14808-60-7	20 - 30%
Nepheline Syenite (Particulates not otherwise classified)	37244-96-5	10 - 20%
Titanium dioxide	13463-67-7	0 - 10%
CLAY (KAOLIN)	1332-58-7	0 - 10%
Mica	12001-26-2	0 - 10%
Aluminium Hydroxide	21645-51-2	0 - 10%
2-PROPENOIC ACID, 2-METHYL-	79-41-4	0 - 10%
Aluminium magnesium silicate	12174-11-7	0 - 10%

\*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

### 4. First aid measures

**4.1 Description of first-aid measures**

<b>General advice</b>	If symptoms persist, call a physician.
<b>Eye contact</b>	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician if irritation develops or persists.
<b>Skin contact</b>	Immediate medical attention is not required. Call a physician if irritation develops or persists.
<b>Inhalation</b>	Immediate medical attention is not required. Get medical attention if symptoms occur. Call a

physician if irritation develops or persists.

**Ingestion** If swallowed, do not induce vomiting - seek medical advice.

#### **4.2 Most important symptoms and effects, both acute and delayed**

**Symptoms** No information available.

#### **4.3 Indication of any immediate medical attention and special treatment needed**

**Notes to physician** No information available.

### **5. Fire-Fighting Measures**

#### **5.1 Extinguishing media**

##### **Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable Extinguishing Media** None.

#### **5.2 Special hazards arising from the substance or mixture**

##### **Special Hazard**

No information available.

**Hazardous Combustion Products** No information available.

##### **Explosion Data**

**Sensitivity to Mechanical Impact** No information available.

**Sensitivity to Static Discharge** No information available.

#### **5.3 Advice for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### **6. Accidental Release Measures**

#### **6.1 Personal precautions, protective equipment and emergency procedures**

Personal protection needs must be evaluated based on information provided on this sheet and the special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the training and the expertise of employees in the area responding to the spill.

#### **6.2 Environmental precautions**

Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological information.

#### **6.3 Methods and materials for containment and cleaning up**

**Methods for Containment** Spills and leaks are not likely. Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

### **7. Handling and storage**

#### **7.1 Precautions for safe handling**

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice.

**Hygiene measures** Handle in accordance with good industrial hygiene and safety practice.

**7.2 Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep in a dry, cool and well-ventilated place. Keep out of the reach of children. Store in accordance with local regulations. Keep from freezing.

**Materials to Avoid** Strong oxidizing agents. Strong acids. Strong bases.

**8. Exposure controls/personal protection****8.1 Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	British Columbia	Alberta	Quebec	Ontario TWAEV
Crystalline silica (Quartz) (Respirable) 14808-60-7	TWA: 0.025 mg/m <sup>3</sup> respirable fraction	: (30)/(%SiO <sub>2</sub> + 2) mg/m <sup>3</sup> TWA total dust : (250)/(%SiO <sub>2</sub> + 5) mppcf TWA respirable fraction : (10)/(%SiO <sub>2</sub> + 2) mg/m <sup>3</sup> TWA respirable fraction	TWA: 0.025 mg/m <sup>3</sup>	TWA: 0.025 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.10 mg/m <sup>3</sup>
Nepheline Syenite (Particulates not otherwise classified) 37244-96-5	-	-				TWA: 10 mg/m <sup>3</sup>
Titanium dioxide 13463-67-7	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup> total dust	TWA: 10 mg/m <sup>3</sup> TWA: 3 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
CLAY (KAOLIN) 1332-58-7	TWA: 2 mg/m <sup>3</sup> particulate matter containing no asbestos and <1% crystalline silica, respirable fraction	TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>
Mica 12001-26-2	TWA: 3 mg/m <sup>3</sup> respirable fraction	TWA: 20 mppcf <1% Crystalline silica	TWA: 3 mg/m <sup>3</sup>	TWA: 3 mg/m <sup>3</sup>	TWA: 3 mg/m <sup>3</sup>	TWA: 3 mg/m <sup>3</sup>
Aluminium Hydroxide 21645-51-2	TWA: 1 mg/m <sup>3</sup> respirable fraction	-	TWA: 1.0 mg/m <sup>3</sup>			TWA: 1 mg/m <sup>3</sup>
2-PROPENOIC ACID, 2-METHYL- 79-41-4	TWA: 20 ppm	-	TWA: 20 ppm	TWA: 20 ppm TWA: 70 mg/m <sup>3</sup>	TWA: 20 ppm TWA: 70 mg/m <sup>3</sup>	TWA: 20 ppm
Aluminium magnesium silicate 12174-11-7	TWA: 1 mg/m <sup>3</sup> respirable fraction	-	TWA: 1.0 mg/m <sup>3</sup>		TWA: 1 fibre/cm <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>

**8.2 Appropriate engineering controls**

**Engineering Measures** Ensure adequate ventilation, especially in confined areas.

**8.3 Individual protection measures, such as personal protective equipment**

**Eye/Face Protection** If splashes are likely to occur, wear: Tightly fitting safety goggles.

**Skin and body protection** Wear protective gloves/ protective clothing.

**Respiratory protection** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**Hygiene measures** See section 7 for more information

## 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

<b>Physical state</b>	Liquid	<b>Color</b>	Off-white Gray or Colored liquid
<b>Appearance</b>	Viscous liquid		
<b>Odor</b>	Faint	<b>Odor Threshold</b>	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Methods</u>
pH	>8	
Melting/freezing point		No information available
Boiling point/boiling range	> 100 °C	
Flash Point	no data available	No information available
Evaporation rate		No information available
Flammability (solid, gas)		No information available
Flammability Limits in Air		
upper flammability limit		No information available
lower flammability limit		No information available
Vapor pressure		No information available
Vapor density		No information available
Specific Gravity	0.96 - 1.80 g/cc	
Water solubility	Soluble in water	
Solubility in other solvents		No information available
Partition coefficient		No information available
Autoignition temperature		
Decomposition temperature		
Viscosity, kinematic		No information available
Viscosity, dynamic		No information available
Explosive properties		No information available
Oxidizing Properties		No information available

### 9.2 Other information

<b>Volatile organic compounds (VOC) content</b>	no data available
<b>Density</b>	8.0 - 15.0 lbs/gal

## 10. Stability and Reactivity

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use

### 10.2 Chemical stability

Stable under recommended storage conditions

### 10.3 Possibility of hazardous reactions

None under normal processing.

### 10.4 Conditions to Avoid

Do not freeze. To avoid thermal decomposition, do not overheat.

### 10.5 Incompatible Materials

Strong oxidizing agents. Strong acids. Strong bases.

**10.6 Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating gases and vapors.

**11. Toxicological information****11.1 Acute toxicity****Numerical measures of toxicity: Product Information****Numerical measures of toxicity: Component Information**

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Crystalline silica (Quartz) (Respirable) 14808-60-7	500 mg/kg ( Rat )	-	-
Titanium dioxide 13463-67-7	10000 mg/kg ( Rat )	-	-
Aluminium Hydroxide 21645-51-2	5000 mg/kg ( Rat )	-	-
2-PROPENOIC ACID, 2-METHYL- 79-41-4	1060 mg/kg ( Rat )	500 - 1000 mg/kg ( Rabbit )	= 7.1 mg/L ( Rat ) 4 h

**11.2 Information on toxicological effects****Skin corrosion/irritation**Product Information

- No information available

Component Information

- No information available

**Serious eye damage/eye irritation**Product Information

- No information available

Component Information

- No information available

**Respiratory or skin sensitization**Product Information

- No information available

Component Information

- No information available

**Germ cell mutagenicity**Product Information

- No information available

Component Information

- No information available

**Carcinogenicity**Product Information

- The table below indicates whether each agency has listed any ingredient as a carcinogen

Component Information

- 

Chemical Name	ACGIH	IARC	NTP	OSHA
Crystalline silica (Quartz) (Respirable) 14808-60-7	A2	Group 1	Known	
Titanium dioxide	-	Group 2B	-	

13463-67-7				
Aluminium magnesium silicate 12174-11-7	-	Group 2B Group 3	-	

**Reproductive toxicity**Product Information

- No information available

Component Information

- No information available

**STOT - single exposure**

No information available

**STOT - repeated exposure**

No information available

**Other adverse effects**Product Information

- No information available

Component Information

- No information available

**Aspiration hazard**Product Information

- No information available

Component Information

- No information available

## 12. Ecological information

**12.1 Toxicity****Ecotoxicity**

No information available

**Ecotoxicity effects****12.2 Persistence and degradability**

No information available.

**12.3 Bioaccumulative potential**

Discharge into the environment must be avoided

Chemical Name	log Pow
2-PROPENOIC ACID, 2-METHYL- 79-41-4	0.93

**12.4 Mobility in soil**

No information available.

**12.5 Other adverse effects**

No information available

## 13. Disposal Considerations

**13.1 Waste treatment methods**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

## 14. Transport Information

<b><u>DOT</u></b>	Not regulated
<b><u>MEX</u></b>	Not regulated
<b><u>IMDG</u></b>	Not regulated
<b><u>IATA</u></b>	Not regulated

## 15. Regulatory information

### 15.1 International Inventories

<b>TSCA</b>	-
<b>DSL</b>	-
<b>EINECS/ELINCS</b>	-
<b>ENCS</b>	-
<b>IECSC</b>	-
<b>KECL</b>	-
<b>PICCS</b>	-
<b>AICS</b>	-
<b>NZIoC</b>	-

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL** - Canadian Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances **IECSC**

- China Inventory of Existing Chemical Substances **KECL** -

Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

### 15.2 U.S. Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

### 15.3 Pesticide Information

Not applicable

### 15.4 U.S. State Regulations

#### California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	California Prop. 65
Crystalline silica (Quartz) (Respirable) - 14808-60-7	Carcinogen
Titanium dioxide - 13463-67-7	Carcinogen
Aluminium magnesium silicate - 12174-11-7	Carcinogen
N-(3,4-dichlorophenyl)-N,N-dimethylurea - 330-54-1	Carcinogen
Benzophenone - 119-61-9	Carcinogen
Lead - 7439-92-1	Carcinogen Developmental Female Reproductive



	Male Reproductive
Mercury - 7439-97-6	Developmental
Nickel - 7440-02-0	Carcinogen
Arsenic - 7440-38-2	Carcinogen
Beryllium - 7440-41-7	Carcinogen
Cadmium - 7440-43-9	Carcinogen Developmental Male Reproductive
Cobalt - 7440-48-4	Carcinogen
Formaldehyde - 50-00-0	Carcinogen
Benzyl chloride - 100-44-7	Carcinogen
1,4-DIOXANE - 123-91-1	Carcinogen
Acetaldehyde - 75-07-0	Carcinogen
Ethylene oxide - 75-21-8	Carcinogen Developmental Female Reproductive Male Reproductive

**16. Other information**

<b>NFPA</b>	<b>Health Hazard 1</b>	<b>Flammability 0</b>	<b>Instability 0</b>	<b>Physical and chemical hazards -</b>
<b>HMIS</b>	<b>Health Hazard 1</b>	<b>Flammability 0</b>	<b>Physical Hazard 0</b>	<b>Personal protection B</b>

**Legend:**

- ACGIH (American Conference of Governmental Industrial Hygienists)
- Ceiling (C)
- DOT (Department of Transportation)
- EPA (Environmental Protection Agency)
- IARC (International Agency for Research on Cancer)
- International Air Transport Association (IATA)
- International Maritime Dangerous Goods (IMDG)
- NIOSH (National Institute for Occupational Safety and Health)
- NTP (National Toxicology Program)
- OSHA (Occupational Safety and Health Administration of the US Department of Labor)
- PEL (Permissible Exposure Limit)
- Reportable Quantity (RQ)
- Skin designation (S\*)
- STEL (Short Term Exposure Limit)
- TLV® (Threshold Limit Value)
- TWA (time-weighted average)

**Revision Date** 25-Apr-2017

**Revision Note**

No information available

**Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**