

Revision Date: 09/28/2022

# SAFETY DATA SHEET

# 1. Identification

Material name: Primer with Sand ™ (5 GAL)

Material: 1199198DS 805

Recommended use and restriction on use

Recommended use: Coatings Restrictions on use: Not known.

Manufacturer/Importer/Supplier/Distributor Information

Tremco Canadian Sealants 220 Wicksteed Ave Toronto ON M4H 1G7 CA

Contact person:EH&S DepartmentTelephone:1-800-263-6046

**Emergency telephone number:** 1-800-424-9300 (US); 1-613-996-6666 (Canada)

# 2. Hazard(s) identification

#### **Hazard Classification**

#### **Health Hazards**

Skin sensitizer Category 1
Carcinogenicity Category 1A
Specific Target Organ Toxicity - Category 1<sup>1.</sup>

Repeated Exposure

#### **Target Organs**

1. Lung

# **Unknown toxicity - Health**

Acute toxicity, oral 12.46 %
Acute toxicity, dermal 59.79 %
Acute toxicity, inhalation, vapor 64.3 %
Acute toxicity, inhalation, dust 15.07 %

or mist

# **Label Elements**

#### **Hazard Symbol:**





Revision Date: 09/28/2022

Signal Word: Danger

**Hazard Statement:** May cause an allergic skin reaction.

May cause cancer.

Causes damage to organs through prolonged or repeated exposure.

Precautionary Statements

**Prevention:** Obtain special instructions before use. Do not handle until all safety

precautions have been read and understood. Do not breathe

dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face

protection. Use personal protective equipment as required.

**Response:** IF ON SKIN: Wash with plenty of soap and water. Wash contaminated

clothing before reuse. If skin irritation or rash occurs: Get medical

advice/attention. Specific treatment (see supplemental first aid instructions on this label). IF exposed or concerned: Get medical advice/attention.

Storage: Store locked up.

**Disposal:** Dispose of contents/ container to an approved facility in accordance with

local, regional, national and international regulations.

Hazard(s) not otherwise classified (HNOC):

None.

# 3. Composition/information on ingredients

#### **Mixtures**

| Chemical Identity                             | CAS number | Content in percent (%)* |
|-----------------------------------------------|------------|-------------------------|
| Crystalline Silica (Quartz)/ Silica Sand      | 14808-60-7 | 20 - <50%               |
| Clay                                          | 1332-58-7  | 1 - <5%                 |
| Titanium dioxide                              | 13463-67-7 | 0.1 - <1%               |
| Hexahydro-1,3,5-tris(hydroxyethyl)-s-triazine | 4719-04-4  | 0.1 - <1%               |

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### 4. First-aid measures

#### Description of necessary first-aid measures

**Inhalation:** Move to fresh air.

**Skin Contact:** Destroy or thoroughly clean contaminated shoes. Immediately

remove contaminated clothing and shoes and wash skin with soap and plenty of water. If skin irritation or an allergic skin reaction

develops, get medical attention.



Revision Date: 09/28/2022

**Eye contact:** Rinse immediately with plenty of water.

Ingestion: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.

Personal Protection for First-

aid Responders:

Self-contained breathing apparatus and full protective clothing must

be worn in case of fire.

Most important symptoms/effects, acute and delayed

**Symptoms:** May cause skin and eye irritation.

**Hazards:** No data available.

Indication of immediate medical attention and special treatment needed

**Treatment:** Symptoms may be delayed.

5. Fire-fighting measures

**General Fire Hazards:** No unusual fire or explosion hazards noted.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for fire-fighters

Special fire-fighting

procedures:

No data available.

Special protective equipment

for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

6. Accidental release measures

Personal precautions, protective equipment and

emergency procedures:

See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate

protective clothing. Keep unauthorized personnel away.

Accidental release measures: In the event of a spill or accidental release, notify relevant authorities in

accordance with all applicable regulations.

Methods and material for containment and cleaning

up:

Dam and absorb spillages with sand, earth or other non-combustible material. Collect spillage in containers, seal securely and deliver for

disposal according to local regulations.



Revision Date: 09/28/2022

**Environmental Precautions:** Do not contaminate water sources or sewer. Prevent further leakage or

spillage if safe to do so.

# 7. Handling and storage

#### Handling

Technical measures (e.g. Local and general ventilation):

Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of vapors and mist. Mechanical

ventilation or local exhaust ventilation may be required.

Safe handling advice: Wash hands thoroughly after handling. Do not handle until all safety

precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Avoid contact

with eyes, skin, and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial

hygiene practices.

Contact avoidance measures: No data available.

**Hygiene measures:** Observe good industrial hygiene practices. Wash hands before breaks and

immediately after handling the product. Contaminated work clothing should

not be allowed out of the workplace. Avoid contact with skin.

**Storage** 

**Safe storage conditions:** Store locked up.

Safe packaging materials: No data available.

#### 8. Exposure controls/personal protection

#### **Control Parameters**

**Occupational Exposure Limits** 

| Chemical Identity                                                     | Туре         | Exposure Limit Values                                    | Source                                                                                        |
|-----------------------------------------------------------------------|--------------|----------------------------------------------------------|-----------------------------------------------------------------------------------------------|
| Crystalline Silica (Quartz)/<br>Silica Sand - Respirable dust.        | TWA          | 0.05 mg/m3                                               | US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended (03 2016)      |
|                                                                       | OSHA_AC<br>T | 0.025 mg/m3                                              | US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended (03 2016)      |
| Crystalline Silica (Quartz)/<br>Silica Sand - Respirable dust.        | PEL          | 0.05 mg/m3                                               | US. OSHA Table Z-1 Limits for Air<br>Contaminants (29 CFR 1910.1000), as<br>amended (03 2016) |
| Crystalline Silica (Quartz)/<br>Silica Sand - Respirable.             | TWA          | 2.4 millions<br>of particles<br>per cubic foot<br>of air | US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000)                                      |
|                                                                       | TWA          | 0.1 mg/m3                                                | US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000)                                      |
| Crystalline Silica (Quartz)/<br>Silica Sand - Respirable<br>fraction. | TWA          | 0.025 mg/m3                                              | US. ACGIH Threshold Limit Values, as amended (02 2020)                                        |
| Clay - Respirable fraction.                                           | TWA          | 2 mg/m3                                                  | US. ACGIH Threshold Limit Values, as amended (2011)                                           |
|                                                                       | PEL          | 5 mg/m3                                                  | US. OSHA Table Z-1 Limits for Air<br>Contaminants (29 CFR 1910.1000), as<br>amended (02 2006) |
| Clay - Total dust.                                                    | PEL          | 15 mg/m3                                                 | US. OSHA Table Z-1 Limits for Air<br>Contaminants (29 CFR 1910.1000), as                      |





Revision Date: 09/28/2022

|                                |       |                | amanded (02 2006)                         |
|--------------------------------|-------|----------------|-------------------------------------------|
|                                | T14/4 | 50 ''''        | amended (02 2006)                         |
|                                | TWA   | 50 millions of | US. OSHA Table Z-3 (29 CFR 1910.1000), as |
|                                |       | particles per  | amended (03 2016)                         |
|                                |       | cubic foot of  |                                           |
|                                |       | air            |                                           |
| Clay - Respirable fraction.    | TWA   | 15 millions of | US. OSHA Table Z-3 (29 CFR 1910.1000), as |
|                                |       | particles per  | amended (03 2016)                         |
|                                |       | cubic foot of  |                                           |
|                                |       | air            |                                           |
|                                | TWA   | 5 mg/m3        | US. OSHA Table Z-3 (29 CFR 1910.1000), as |
|                                |       | -              | amended (03 2016)                         |
| Clay - Total dust.             | TWA   | 15 mg/m3       | US. OSHA Table Z-3 (29 CFR 1910.1000), as |
| ·                              |       | · ·            | amended (03 2016)                         |
| Titanium dioxide               | TWA   | 10 mg/m3       | US. ACGIH Threshold Limit Values, as      |
|                                |       | · ·            | amended (2008)                            |
| Titanium dioxide - Total dust. | PEL   | 15 mg/m3       | US. OSHA Table Z-1 Limits for Air         |
|                                |       | · ·            | Contaminants (29 CFR 1910.1000), as       |
|                                |       |                | amended (02 2006)                         |
| Titanium dioxide - Respirable  | TWA   | 15 millions of | US. OSHA Table Z-3 (29 CFR 1910.1000), as |
| fraction.                      |       | particles per  | amended (03 2016)                         |
|                                |       | cubic foot of  | , ,                                       |
|                                |       | air            |                                           |
| Titanium dioxide - Total dust. | TWA   | 15 mg/m3       | US. OSHA Table Z-3 (29 CFR 1910.1000), as |
|                                |       | 3              | amended (03 2016)                         |
| Titanium dioxide - Respirable  | TWA   | 5 mg/m3        | US. OSHA Table Z-3 (29 CFR 1910.1000), as |
| fraction.                      |       | 3              | amended (03 2016)                         |
| Titanium dioxide - Total dust. | TWA   | 50 millions of | US. OSHA Table Z-3 (29 CFR 1910.1000), as |
|                                |       | particles per  | amended (03 2016)                         |
|                                |       | cubic foot of  | , , ,                                     |
|                                |       | air            |                                           |



Revision Date: 09/28/2022

| Chemical name                                                         | Туре | Exposure Limit Values | Source                                                                                                                                                                   |
|-----------------------------------------------------------------------|------|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Crystalline Silica (Quartz)/<br>Silica Sand - Respirable<br>fraction. | TWA  | 0.10 mg/m3            | Canada. Ontario OELs. (Control of Exposure to<br>Biological or Chemical Agents), as amended<br>(06 2015)                                                                 |
| Crystalline Silica (Quartz)/<br>Silica Sand - Respirable dust.        | TWA  | 0.1 mg/m3             | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation respecting occupational health and<br>safety), as amended (09 2017)                                              |
| Crystalline Silica (Quartz)/<br>Silica Sand - Respirable<br>fraction. | TWA  | 0.025 mg/m3           | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Biological Substances, Occupational Health and Safety Regulation 296/97, as amended) (06 2020) |
| Clay - Respirable.                                                    | TWA  | 2 mg/m3               | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Biological Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Clay - Respirable fraction.                                           | TWA  | 2 mg/m3               | Canada. Ontario OELs. (Control of Exposure to<br>Biological or Chemical Agents), as amended<br>(08 2017)                                                                 |
| Clay - Respirable dust.                                               | TWA  | 2 mg/m3               | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation respecting occupational health and<br>safety), as amended (03 2020)                                              |
| Propylene glycol - Aerosol.                                           | TWA  | 10 mg/m3              | Canada. Ontario OELs. (Control of Exposure to<br>Biological or Chemical Agents), as amended<br>(11 2010)                                                                 |
| Propylene glycol - Vapor and aerosol.                                 | TWA  | 50 ppm 155 mg/m3      | Canada. Ontario OELs. (Control of Exposure to<br>Biological or Chemical Agents), as amended<br>(06 2015)                                                                 |
| Titanium dioxide - Total dust.                                        | TWA  | 10 mg/m3              | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Biological Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Titanium dioxide - Respirable fraction.                               | TWA  | 3 mg/m3               | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Biological Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Titanium dioxide                                                      | TWA  | 10 mg/m3              | Canada. Ontario OELs. (Control of Exposure to<br>Biological or Chemical Agents), as amended<br>(11 2010)                                                                 |
| Titanium dioxide - Total dust.                                        | TWA  | 10 mg/m3              | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation respecting occupational health and<br>safety), as amended (09 2017)                                              |

Appropriate Engineering Controls

Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of vapors and mist. Mechanical ventilation or local exhaust ventilation may be required.

# Individual protection measures, such as personal protective equipment

**Eye/face protection:** Wear goggles/face shield.

**Skin Protection** 

**Hand Protection:** Additional Information: Use suitable protective gloves if risk of skin contact.

**Skin and Body Protection:** Wear chemical-resistant gloves, footwear, and protective clothing

appropriate for the risk of exposure. Contact health and safety professional

or manufacturer for specific information.

Respiratory Protection: In case of inadequate ventilation use suitable respirator. Seek advice from

local supervisor.



Revision Date: 09/28/2022

**Hygiene measures:** Observe good industrial hygiene practices. Wash hands before breaks and

immediately after handling the product. Contaminated work clothing should

not be allowed out of the workplace. Avoid contact with skin.

# 9. Physical and chemical properties

**Appearance** 

Physical state: liquid
Form: liquid
Color: Various
Odor: Faint

Odor threshold:

pH:

No data available.

Flash Point:

Evaporation rate:

No data available.

No data available.

No data available.

No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper:

Explosive limit - lower:

Vapor pressure:

Vapor density:

No data available.

No data available.

No data available.

No data available.

Relative density: 1.4

Solubility(ies)

Solubility in water:

Solubility (other):

No data available.

No data available.

No data available.

No data available.

Auto-ignition temperature:No data available.Decomposition temperature:No data available.Viscosity:No data available.

# 10. Stability and reactivity

**Reactivity:** No data available.

**Chemical Stability:** Material is stable under normal conditions.

Possibility of hazardous

reactions:

No data available.

**Conditions to avoid:** Avoid heat or contamination.

**Incompatible Materials:** No data available.



Revision Date: 09/28/2022

**Hazardous Decomposition** 

**Products:** 

Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

# 11. Toxicological information

#### Information on likely routes of exposure

Inhalation: In high concentrations, vapors, fumes or mists may irritate nose, throat and

mucus membranes.

**Skin Contact:** May cause an allergic skin reaction.

Eye contact: Eye contact is possible and should be avoided.

Ingestion: May be harmful if swallowed.

# Symptoms related to the physical, chemical and toxicological characteristics

Inhalation: No data available.

**Skin Contact:** No data available.

Eye contact: No data available.

Ingestion: No data available.

# Information on toxicological effects

# Acute toxicity (list all possible routes of exposure)

Oral

**Product:** ATEmix: 3,808.32 mg/kg

**Dermal** Product:

Specified substance(s):

Clay LD 50 (Rat): > 5,000 mg/kg

Hexahydro-1,3,5-

tris(hydroxyethyl)-s-

triazine

LD 50 (Rat): > 4,000 mg/kg

# Inhalation

**Product:** 



Revision Date: 09/28/2022

Specified substance(s):

Crystalline Silica (Quartz)/ Silica Sand

LC 50: > 5.0 mg/l

Clay LC 50 (Rat): > 5 mg/l

Titanium dioxide LC 50 (Rat): 3.43 mg/l

Hexahydro-1,3,5-tris(hydroxyethyl)-s-

triazine

LC 50 (Rat): 0.371 mg/l

Repeated dose toxicity

**Product:** No data available.

Skin Corrosion/Irritation

**Product:** No data available.

Specified substance(s):

Titanium dioxide in vivo (Rabbit): Not irritant, 24 h

Hexahydro-1,3,5-tris(hydroxyethyl)-s-

triazine

in vivo (Rabbit): Not irritant, 24 - 72 h

Serious Eye Damage/Eye Irritation

**Product:** No data available.

Specified substance(s):

Titanium dioxide Rabbit, 24 - 72 hrs: Not irritant

Respiratory or Skin Sensitization

**Product:** No data available.

Carcinogenicity

**Product:** No data available.



Revision Date: 09/28/2022

#### IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

Crystalline Silica

(Quartz)/ Silica

Sand

Overall evaluation: Carcinogenic to humans.

Titanium dioxide Overall evaluation: Possibly carcinogenic to humans.

#### **US. National Toxicology Program (NTP) Report on Carcinogens:**

Silica Known To Be Human Carcinogen. Crystalline

(Quartz)/ Silica

Sand

#### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

Crystalline Silica

(Quartz)/ Silica Cancer

Sand

#### **Germ Cell Mutagenicity**

In vitro

**Product:** No data available.

In vivo

**Product:** No data available.

Reproductive toxicity

**Product:** No data available.

**Specific Target Organ Toxicity - Single Exposure** 

**Product:** No data available.

**Specific Target Organ Toxicity - Repeated Exposure** 

Product: No data available.

**Target Organs** 

Specific Target Organ Toxicity - Repeated Exposure: Lung

**Aspiration Hazard** 

**Product:** No data available.



Revision Date: 09/28/2022

Other effects: Constituents of this product may include crystalline silica which, if in

inhalable form, may cause silicosis, a form of progressive pulmonary fibrosis. Inhalable crystalline silica is listed by IARC as a group I carcinogen (lung) based on sufficient evidence in occupationally exposed humans and sufficient evidence in animals. Crystalline silica is also listed by the NTP as a known human carcinogen. Constituents may also contain asbestiform or non-asbestiform tremolite or other silicates as impurities, and above de minimis exposure to these impurities in inhalable form may be carcinogenic

or cause other serious lung problems.

# 12. Ecological information

# **Ecotoxicity:**

#### Acute hazards to the aquatic environment:

**Fish** 

**Product:** No data available.

Specified substance(s):

Titanium dioxide LC 50 (Pimephales promelas, 96 h): 8.2 mg/l Read-across from supporting

substance (structural analogue or surrogate), Supporting study

Hexahydro-1,3,5-

tris(hydroxyethyl)-s-

triazine

LC 50 (Danio rerio, 96 h): 16.07 mg/l Experimental result, Key study

**Aquatic Invertebrates** 

**Product:** No data available.

Specified substance(s):

Titanium dioxide LC 50 (Daphnia magna, 48 h): > 100 mg/l experimental result Experimental

result, Weight of Evidence study

Hexahydro-1,3,5-tris(hydroxyethyl)-s-

triazine

EC 50 (Daphnia magna, 48 h): 11.9 mg/l experimental result Experimental

result, Key study

#### Chronic hazards to the aquatic environment:

Fish

**Product:** No data available.

**Aquatic Invertebrates** 

**Product:** No data available.

Specified substance(s):

Titanium dioxide NOAEL (Daphnia magna): 100 mg/l experimental result Experimental result,

Supporting study

**Toxicity to Aquatic Plants** 

**Product:** No data available.

11/16



Revision Date: 09/28/2022

# **Persistence and Degradability**

Biodegradation

**Product:** No data available.

Specified substance(s):

Hexahydro-1,3,5-tris(hydroxyethyl)-s-

triazine

90 - 100 % (8 d) Detected in water. Experimental result, Key study

**BOD/COD Ratio** 

**Product:** No data available.

**Bioaccumulative potential** 

**Bioconcentration Factor (BCF)** 

**Product:** No data available.

Partition Coefficient n-octanol / water (log Kow)

**Product:** No data available.

**Mobility in soil:** No data available.

Other adverse effects: No data available.

13. Disposal considerations

**Disposal methods:** Dispose of waste at an appropriate treatment and disposal facility in

accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Contaminated Packaging: No data available.

# 14. Transport information

TDG:

Not Regulated

CFR / DOT:

Not Regulated

IMDG:

Not Regulated



Revision Date: 09/28/2022

#### 15. Regulatory information

#### **US Federal Regulations**

# TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

# US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)

None present or none present in regulated quantities.

# US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended

Chemical Identity
Crystalline Silica
(Quartz)/ Silica Sand

OSHA hazard(s)
kidney effects
lung effects

immune system effects

Cancer

#### CERCLA Hazardous Substance List (40 CFR 302.4):

<u>Chemical Identity</u> <u>Reportable quantity</u>

Ammonium hydroxide 1000 lbs. n-(3,4-dichlorophenyl)- 100 lbs.

n,n-dimethylurea

Methyl benzimidazole-2- 10

yl carbamate

10 lbs.

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### **Hazard categories**

Immediate (Acute) Health Hazards
Delayed (Chronic) Health Hazard
Respiratory or Skin Sensitization
Carcinogenicity
Specific target organ toxicity (single or repeated exposure)

# US. EPCRA (SARA Title III) Section 304 Extremely Hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substances

Not regulated.

# US. EPCRA (SARA Title III Section 313 Toxic Chemical Release Inventory (TRI) Reporting Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

<u>Chemical Identity</u> <u>Reportable quantity</u>

Ammonium hydroxide lbs Ammonium hydroxide lbs

# Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

#### **US State Regulations**

#### **US. California Proposition 65**



Revision Date: 09/28/2022



# **WARNING**

Cancer and Reproductive Harm - www.P65Warnings.ca.gov

# International regulations

# **Montreal protocol**

Not applicable

# Stockholm convention

Not applicable

#### **Rotterdam convention**

Not applicable

# **Kyoto protocol**

Not applicable

#### VOC:

Regulatory VOC (less water and

exempt solvent)

VOC Method 310

: 10 g/l

: 0.37 %



Revision Date: 09/28/2022

**Inventory Status:** 

Australia Industrial Chem. Act (AIIC): One or more components in this

product are not listed on or exempt

from the Inventory.

Canada DSL Inventory List:

One or more components in this

product are not listed on or exempt

from the Inventory.

Canada NDSL Inventory: One or more components in this

product are not listed on or exempt

from the Inventory.

Ontario Inventory: One or more components in this

product are not listed on or exempt

from the Inventory.

China Inv. Existing Chemical

Substances:

One or more components in this product are not listed on or exempt

from the Inventory.

Japan (ENCS) List: One or more components in this

product are not listed on or exempt

from the Inventory.

Japan ISHL Listing: One or more components in this

product are not listed on or exempt

from the Inventory.

Japan Pharmacopoeia Listing: One or more components in this

product are not listed on or exempt

from the Inventory.

Korea Existing Chemicals Inv. (KECI): One or more components in this

product are not listed on or exempt

from the Inventory.

Mexico INSQ: One or more components in this

product are not listed on or exempt

from the Inventory.

New Zealand Inventory of Chemicals: One or more components in this

product are not listed on or exempt

from the Inventory.

Philippines PICCS: One or more components in this

product are not listed on or exempt

from the Inventory.

Taiwan Chemical Substance Inventory: One or more components in this



Revision Date: 09/28/2022

product are not listed on or exempt

from the Inventory.

US TSCA Inventory: One or more components in this

product are not listed on or exempt

from the Inventory.

Switzerland New Subs Notified/Registered:

One or more components in this product are not listed on or exempt

from the Inventory.

Thailand DIW Existing Chemical Inv.

List:

One or more components in this product are not listed on or exempt

from the Inventory.

Vietnam National Chemical Inventory: One or more components in this

product are not listed on or exempt

from the Inventory.

EINECS, ELINCS or NLP: One or more components in this

product are not listed on or exempt

from the Inventory.

# 16.Other information, including date of preparation or last revision

**Revision Date:** 09/28/2022

Version #: 1.0

Further Information: No data available.

**Disclaimer:** For Industrial Use Only. Keep out of Reach of Children. The hazard

information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including

the safe use of the product under every foreseeable condition.