



TECHNICAL DATA SHEET

STARTER BOARDS

Pre-coated EPS Starter Boards with
Reinforced Base Coat
DS1046

PRODUCT DESCRIPTION

Dryvit™ Starter Boards are compatible with most Dryvit Outsulation Systems, Modulite™ Prefabricated Panel Systems, Dryvit adhesives, Dryvit Specialty Finishes, and Tremco® sealants. Starter Boards are 9 ½" (241 mm) in height and have many benefits including being lightweight and cost-effective.

BASIC USES

Pre-coated starter boards can save time and improve efficiency when installing exterior insulation and finish systems (EIFS).

- Ensures EPS is wrapped with reinforced base coat (mesh embedded in base coat) according to Dryvit Systems application instructions and details.
- Reduces onsite labor.
- Easy to use.
- Manages drainage.
- Are ideal for door/window openings.

PROFILES & SIZES

- Profiles include Standard, with Drip, with Backcut, with Slope, and Window Corners.
 - Starter Board with Drip: The continuous drip edge groove measures 3/4" x 3/4" (19.05 mm x 19.05 mm) typically.
 - Starter Board with Backcut: EPS is recessed on the back side to accept drainage strips or flashing.
 - Starter Board with Slope: The slope is used to maintain positive drainage below expansion joints.
 - Window Corners: Dimensions are 9-1/2" H x 11" L legs (241 mm H x 25.4 mm), and 20-1/2" H x 20-1/2" (520.7 mm x 520.7 mm) overall.
- Boards are 9.5" H x 96" L (241 mm x 2438.4 mm).
- Available thicknesses are 1", 1-1/2", 2", 2-1/2", 3", and 4".

AVAILABILITY

Starter boards are available at local Dryvit distributors. For further information please contact your Dryvit Technical Sales Representative or local Dryvit distributor.

WARRANTY

A repair or replacement warranty is available on all Dryvit products. Visit <https://www.tremcosealants.com/warranties/> for details.

STARTER BOARD TYPES

STANDARD STARTER BOARD




STARTER BOARD WITH SLOPE



STARTER BOARD WITH DRIP EDGE



STARTER BOARD WITH BACK CUT



Tremco Construction Products Group (CPG) brings together Tremco CPG Inc. and its Dryvit and Nudura brands; Willseal; Prebuck LLC; Tremco Barrier Solutions, Inc.; Weatherproofing Technologies, Inc. and its Pure Air Control Services and Canam Building Envelope Specialists offerings; and Weatherproofing Technologies Canada, Inc.



dryvit.com | 800.556.7752



Construction Products Group

3735 Green Rd. | Beachwood, OH 44122
800.321.7906 | tremcocpg.com

Please refer to our website at www.dryvit.com for the most up-to-date Product Data Sheets.

NOTE: All Dryvit Safety Data Sheets (SDS) are in alignment with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) requirements.

DS1046/0525

Tremco Construction Products Group (CPG) brings together Tremco CPG Inc. and its Dryvit and Nudura brands; Willseal; Prebuck LLC; Tremco Barrier Solutions, Inc.; Weatherproofing Technologies, Inc. and its Pure Air Control Services and Canam Building Envelope Specialists offerings; and Weatherproofing Technologies Canada, Inc.



dryvit.com | 800.556.7752



Construction Products Group

3735 Green Rd. | Beachwood, OH 44122
800.321.7906 | tremcocpg.com