

## Direct Applied System over HercuWall® Type I Panel

DS1052

### **Dryvit Direct Applied System over HercuWall® Type I Panel Installation Details**

# Table of Contents

## Detail

|                                                                                                 |           |
|-------------------------------------------------------------------------------------------------|-----------|
| DRYVIT DIRECT APPLIED SYSTEM OVER HERCUWALL SYSTEM CUTAWAY                                      | HW-DAF-01 |
| DRYVIT DIRECT APPLIED SYSTEM OVER HERCUWALL TYPE I PANEL WITH DRYVIT OUTSULATION PLUS MD SYSTEM | HW-DAF-02 |
| DRYVIT DIRECT APPLIED SYSTEM OVER HERCUWALL TYPE I PANEL WITH METAL BAR JOIST & PARAPET         | HW-DAF-03 |
| DRYVIT DIRECT APPLIED SYSTEM OVER HERCUWALL TYPE I PANEL EAVE DETAIL TOP PLATE                  | HW-DAF-04 |
| DRYVIT DIRECT APPLIED SYSTEM OVER HERCUWALL TYPE I PANEL WITH EPS ELEMENT                       | HW-DAF-05 |
| DRYVIT DIRECT APPLIED SYSTEM OVER HERCUWALL TYPE I PANEL WITH DRYVIT OPENING JAMB               | HW-DAF-06 |
| DRYVIT DIRECT APPLIED SYSTEM OVER HERCUWALL TYPE I PANEL WITH HEAD & SILL                       | HW-DAF-07 |
| DRYVIT DIRECT APPLIED SYSTEM OVER HERCUWALL TYPE I PANEL WITH DRYVIT HM FRAME JAMB              | HW-DAF-08 |
| DRYVIT DIRECT APPLIED SYSTEM OVER HERCUWALL TYPE I PANEL WITH EPS WINDOW SURROUND FRONT         | HW-DAF-09 |
| DRYVIT DIRECT APPLIED SYSTEM OVER HERCUWALL TYPE I PANEL WITH RECESSED WINDOW                   | HW-DAF-10 |
| DRYVIT DIRECT APPLIED SYSTEM OVER HERCUWALL TYPE I PANEL LARGE PENETRATION                      | HW-DAF-11 |
| DRYVIT DIRECT APPLIED SYSTEM OVER HERCUWALL TYPE I PANEL WITH ROUND PENETRATION                 | HW-DAF-12 |
| DRYVIT DIRECT APPLIED SYSTEM OVER HERCUWALL TYPE I PANEL ROUND PENETRATION                      | HW-DAF-13 |

NOTE:  
TREMCO CPG MAKES NO REPRESENTATION REGARDING CONFORMITY OF ITS SUGGESTIONS TO MODEL BUILDING CODES, ENGINEERING CRITERIA, SPECIFIC APPLICATIONS, OR PROJECT LOCATIONS. ALL COMPONENTS INDICATED IN ILLUSTRATIONS, AS WELL AS OTHERS THAT MAY BE REQUIRED FOR THE INTEGRITY OF THE SYSTEM SHALL BE DESIGNED, DETAILED, AND ENGINEERED BY REPRESENTATIVES OF THE ARCHITECT, OWNER, OR CONTRACTOR TO BE IN CONFORMANCE WITH MODEL CODES, ARCHITECTURAL, AND ENGINEERING REQUIREMENTS PERTAINING TO SPECIFIC BUILDING PROJECTS.


TREMCO CPG MAKES NO WARRANTY, EXPRESSED OR IMPLIED, AS TO THE ARCHITECTURAL DESIGN, ENGINEERING, OR WORKMANSHIP OF PROJECTS UTILIZING TREMCO CPG SYSTEMS OR PRODUCTS.

THE LIABILITIES OF TREMCO CPG SHALL BE AS STATED IN THE STANDARD WARRANTY. CONTACT TREMCO CPG FOR A FULL AND COMPLETE COPY OF THE WARRANTY.

*This detail is for general informational purposes only. The project design professional determines, in its sole discretion, whether this detail or a functionally equivalent detail is best suited for the project with respect to any architecture, engineering, and design requirements, including any local building code requirements. If this document is not reviewed and the product is not approved for use by a licensed design professional, the customer agrees that the detail may contain substantive flaws requiring correction, and hereby releases Tremco CPG Inc. from any and all liability related to the design and installation of the product. This detail is subject to change without notice. Contact Tremco to ensure you have the most recent version.*

### Dryvit Direct Applied System over HercuWall® Type I Panel

|                                                                                                                              |                           |                 |                 |                       |                                                                                                                             |
|------------------------------------------------------------------------------------------------------------------------------|---------------------------|-----------------|-----------------|-----------------------|-----------------------------------------------------------------------------------------------------------------------------|
| <br>Dryvit Technical Support: 800-556-7752 | Detail: Table of Contents |                 |                 | File Name:<br><br>TOC | <br><i>Construction Products Group</i> |
|                                                                                                                              | Drawn by: XXX             | Checked by: XXX | Scale: NTS      |                       |                                                                                                                             |
|                                                                                                                              | Revision #: 00            | Revised by: -   | Date: 10/7/2025 |                       |                                                                                                                             |
|                                                                                                                              | www.tremcocpg.com         |                 |                 |                       |                                                                                                                             |
|                                                                                                                              |                           |                 |                 |                       |                                                                                                                             |



*This detail is for general informational purposes only. The project design professional determines, in its sole discretion, whether this detail or a functionally equivalent detail is best suited for the project with respect to any architecture, engineering, and design requirements, including any local building code requirements. If this document is not reviewed and the product is not approved for use by a licensed design professional, the customer agrees that the detail may contain substantive flaws requiring correction, and hereby releases Tremco CPG Inc. from any and all liability related to the design and installation of the product. This detail is subject to change without notice. Contact Tremco to ensure you have the most recent version.*

### Dryvit Direct Applied System over HercuWall® Type I Panel



Detail: Dryvit Direct Applied System Over HercuWall Type I Panel

Drawn by: MSCO

Checked by: CB, AL

Scale: NTS

Revision #: 00

Revised by: -


Date: 10/7/2025

[www.tremcocpg.com](http://www.tremcocpg.com)

File Name:

HW-DAF-01





This detail is for general informational purposes only. The project design professional determines, in its sole discretion, whether this detail or a functionally equivalent detail is best suited for the project with respect to any architecture, engineering, and design requirements, including any local building code requirements. If this document is not reviewed and the product is not approved for use by a licensed design professional, the customer agrees that the detail may contain substantive flaws requiring correction, and hereby releases Tremco CPG Inc. from any and all liability related to the design and installation of the product. This detail is subject to change without notice. Contact Tremco to ensure you have the most recent version.

### Dryvit Direct Applied System over HercuWall® Type I Panel

Detail: Dryvit Direct Applied System Over HercuWall Type I Panel with Dryvit Outsulation Plus MD System

File Name:

Drawn by: MSCO

Checked by: CB, AL

Scale: NTS

HW-DAF-02

Revision #: 00

Revised by: -

Date: 10/7/2025


[www.tremcocpg.com](http://www.tremcocpg.com)



Dryvit Technical Support: 800-556-7752



Construction Products Group



*This detail is for general informational purposes only. The project design professional determines, in its sole discretion, whether this detail or a functionally equivalent detail is best suited for the project with respect to any architecture, engineering, and design requirements, including any local building code requirements. If this document is not reviewed and the product is not approved for use by a licensed design professional, the customer agrees that the detail may contain substantive flaws requiring correction, and hereby releases Tremco CPG Inc. from any and all liability related to the design and installation of the product. This detail is subject to change without notice. Contact Tremco to ensure you have the most recent version.*

### Dryvit Direct Applied System over HercuWall® Type I Panel

Detail: Dryvit Direct Applied System Over HercuWall Type I Panel with Metal Bar Joist & Parapet

File Name:

Drawn by: MSCO

Checked by: CB, AL

Scale: NTS

HW-DAF-03

Revision #: 00

Revised by: -

Date: 10/7/2025


[www.tremcocpg.com](http://www.tremcocpg.com)



Dryvit Technical Support: 800-556-7752



Construction Products Group



*This detail is for general informational purposes only. The project design professional determines, in its sole discretion, whether this detail or a functionally equivalent detail is best suited for the project with respect to any architecture, engineering, and design requirements, including any local building code requirements. If this document is not reviewed and the product is not approved for use by a licensed design professional, the customer agrees that the detail may contain substantive flaws requiring correction, and hereby releases Tremco CPG Inc. from any and all liability related to the design and installation of the product. This detail is subject to change without notice. Contact Tremco to ensure you have the most recent version.*

### Dryvit Direct Applied System over HercuWall® Type I Panel

Detail: Dryvit Direct Applied System Over HercuWall Type I Panel Eave Detail Top Plate

File Name:

Drawn by: MSCO

Checked by: CB, AL

Scale: NTS

HW-DAF-04

Revision #: 00

Revised by: -

Date: 10/7/2025

[www.tremcocpg.com](http://www.tremcocpg.com)



Dryvit Technical Support: 800-556-7752



Construction Products Group

SLOPE SURFACE 6:12 MIN. FOR POSITIVE DRAINAGE. MAXIMUM LENGTH OF SLOPED SURFACE IS 12" (305 MM)

6" MESH OVERLAP FOR SHAPES INSTALLATION


ATTACHED EPS SHAPE WITH VERTICAL NOTCHED TROWEL ADHESIVE PATTERN

DRYVIT APPROVED ADHESIVE IN VERTICAL NOTCHED TROWEL CONFIGURATION OR VERTICAL RIBBONS AS PER APPLICATION INSTRUCTIONS

DRYVIT® REINFORCING MESH EMBEDDED IN DRYVIT® BASE COAT

DRYVIT® FINISH COAT

HERCUWALL® TYPE I SYSTEM



This detail is for general informational purposes, only. The project design professional determines, in its sole discretion, whether this detail or a functionally equivalent detail is best suited for the project with respect to any architecture, engineering, and design requirements, including any local building code requirements. If this document is not reviewed and the product is not approved for use by a licensed design professional, the customer agrees that the detail may contain substantive flaws requiring correction, and hereby releases Tremco CPG Inc. from any and all liability related to the design and installation of the product. This detail is subject to change without notice. Contact Tremco to ensure you have the most recent version.

### Dryvit Direct Applied System over HercuWall® Type I Panel



Dryvit Technical Support: 800-556-7752

Detail: Dryvit Direct Applied System Over HercuWall Type I Panel with EPS Element

Drawn by: MSCO

Checked by: CB, AL

Scale: NTS

Revision #: 00

Revised by: -

Date: 10/7/2025


[www.tremcocpg.com](http://www.tremcocpg.com)

File Name:

HW-DAF-05



Construction Products Group



This detail is for general informational purposes only. The project design professional determines, in its sole discretion, whether this detail or a functionally equivalent detail is best suited for the project with respect to any architecture, engineering, and design requirements, including any local building code requirements. If this document is not reviewed and the product is not approved for use by a licensed design professional, the customer agrees that the detail may contain substantive flaws requiring correction, and hereby releases Tremco CPG Inc. from any and all liability related to the design and installation of the product. This detail is subject to change without notice. Contact Tremco to ensure you have the most recent version.

### Dryvit Direct Applied System over HercuWall® Type I Panel

Detail: Dryvit Direct Applied System Over HercuWall Type I Panel with Dryvit Opening Jamb

File Name:

Drawn by: MSCO

Checked by: CB, AL

Scale: NTS

HW-DAF-06

Revision #: 00

Revised by: -

Date: 10/7/2025

[www.tremcocpg.com](http://www.tremcocpg.com)





Dryvit Technical Support: 800-556-7752



Construction Products Group





This detail is for general informational purposes, only. The project design professional determines, in its sole discretion, whether this detail or a functionally equivalent detail is best suited for the project with respect to any architecture, engineering, and design requirements, including any local building code requirements. If this document is not reviewed and the product is not approved for use by a licensed design professional, the customer agrees that the detail may contain substantive flaws requiring correction, and hereby releases Tremco CPG Inc. from any and all liability related to the design and installation of the product. This detail is subject to change without notice. Contact Tremco to ensure you have the most recent version.

### Dryvit Direct Applied System over HercuWall® Type I Panel

Detail: Dryvit Direct Applied System Over HercuWall Type I Panel with Head & Sill

File Name:

Drawn by: MSCO

Checked by: CB, AL

Scale: NTS

HW-DAF-07

Revision #: 00

Revised by: -

Date: 10/7/2025

[www.tremcocpg.com](http://www.tremcocpg.com)



Dryvit Technical Support: 800-556-7752



Construction Products Group

DRYVIT DEMANDIT® OR COLOR PRIME™ ON SURFACES TO RECEIVE SEALANT

DRYVIT® REINFORCING MESH EMBEDDED IN DRYVIT® BASE COAT

DRYVIT® FINISH COAT

DRYVIT/TREMCO APPROVED SEALANT

HM FRAME, BY OTHERS

HERCUSTRIP

HERCUWALL® METAL CASING

DRYVIT AQUAFLASH® SYSTEM

GWB, BY OTHERS

HERCUWALL® TYPE I SYSTEM

3 1/2"  
9"  
3"  
2 1/2"

A

## JAMB - HM FRAME

NTS

DRYVIT® REINFORCING MESH EMBEDDED IN DRYVIT® BASE COAT

DRYVIT® FINISH COAT

METAL FLASHING

DRYVIT DEMANDIT® OR COLOR PRIME™ ON SURFACES TO RECEIVE SEALANT

TREMCO DRYVIT/TREMCO APPROVED SEALANT

HERCUWALL® TYPE I SYSTEM

GWB, BY OTHERS

HERCUSTRIP

HERCUWALL® METAL CASING

DRYVIT AQUAFLASH® SYSTEM

HM FRAME, BY OTHERS

9"  
3 1/2" 3" 2 1/2"

B

## HEAD - HM FRAME

NTS

This detail is for general informational purposes, only. The project design professional determines, in its sole discretion, whether this detail or a functionally equivalent detail is best suited for the project with respect to any architecture, engineering, and design requirements, including any local building code requirements. If this document is not reviewed and the product is not approved for use by a licensed design professional, the customer agrees that the detail may contain substantive flaws requiring correction, and hereby releases Tremco CPG Inc. from any and all liability related to the design and installation of the product. This detail is subject to change without notice. Contact Tremco to ensure you have the most recent version.

### Dryvit Direct Applied System over HercuWall® Type I Panel



Dryvit Technical Support: 800-556-7752

Detail: Dryvit Direct Applied System Over HercuWall Type I Panel with Dryvit HM Frame Jamb

Drawn by: MSCO

Checked by: CB, AL

Scale: NTS

Revision #: 00

Revised by: -

Date: 10/7/2025


File Name:

HW-DAF-08



Construction Products Group

[www.tremcocpg.com](http://www.tremcocpg.com)



This detail is for general informational purposes, only. The project design professional determines, in its sole discretion, whether this detail or a functionally equivalent detail is best suited for the project with respect to any architecture, engineering, and design requirements, including any local building code requirements. If this document is not reviewed and the product is not approved for use by a licensed design professional, the customer agrees that the detail may contain substantive flaws requiring correction, and hereby releases Tremco CPG Inc. from any and all liability related to the design and installation of the product. This detail is subject to change without notice. Contact Tremco to ensure you have the most recent version.

### Dryvit Direct Applied System over HercuWall® Type I Panel

Detail: Dryvit Direct Applied System Over HercuWall Type I Panel with EPS Window Surround Front

Drawn by: MSCO

Checked by: CB, AL

Scale: NTS

Revision #: 00

Revised by: -

Date: 10/7/2025

File Name:

HW-DAF-09




Dryvit Technical Support: 800-556-7752

www.tremcocpg.com



Construction Products Group



*This detail is for general informational purposes only. The project design professional determines, in its sole discretion, whether this detail or a functionally equivalent detail is best suited for the project with respect to any architecture, engineering, and design requirements, including any local building code requirements. If this document is not reviewed and the product is not approved for use by a licensed design professional, the customer agrees that the detail may contain substantive flaws requiring correction, and hereby releases Tremco CPG Inc. from any and all liability related to the design and installation of the product. This detail is subject to change without notice. Contact Tremco to ensure you have the most recent version.*

### Dryvit Direct Applied System over HercuWall® Type I Panel

Detail: Dryvit Direct Applied System Over HercuWall Type I Panel with Recessed Window

File Name:

Drawn by: MSCO

Checked by: CB, AL

Scale: NTS

HW-DAF-10

Revision #: 00

Revised by: -

Date: 10/7/2025



[www.tremcocpg.com](http://www.tremcocpg.com)



Dryvit Technical Support: 800-556-7752



Construction Products Group



*This detail is for general informational purposes only. The project design professional determines, in its sole discretion, whether this detail or a functionally equivalent detail is best suited for the project with respect to any architecture, engineering, and design requirements, including any local building code requirements. If this document is not reviewed and the product is not approved for use by a licensed design professional, the customer agrees that the detail may contain substantive flaws requiring correction, and hereby releases Tremco CPG Inc. from any and all liability related to the design and installation of the product. This detail is subject to change without notice. Contact Tremco to ensure you have the most recent version.*

### Dryvit Direct Applied System over HercuWall® Type I Panel

Detail: Dryvit Direct Applied System Over HercuWall Type I Panel Large Penetration

File Name:

Drawn by: MSCO

Checked by: CB, AL

Scale: NTS

HW-DAF-11

Revision #: 00

Revised by: -

Date: 10/7/2025



[www.tremcocpg.com](http://www.tremcocpg.com)



Dryvit Technical Support: 800-556-7752



Construction Products Group



This detail is for general informational purposes only. The project design professional determines, in its sole discretion, whether this detail or a functionally equivalent detail is best suited for the project with respect to any architecture, engineering, and design requirements, including any local building code requirements. If this document is not reviewed and the product is not approved for use by a licensed design professional, the customer agrees that the detail may contain substantive flaws requiring correction, and hereby releases Tremco CPG Inc. from any and all liability related to the design and installation of the product. This detail is subject to change without notice. Contact Tremco to ensure you have the most recent version.

### Dryvit Direct Applied System over HercuWall® Type I Panel

Detail: Dryvit Direct Applied System Over HercuWall Type I Panel with Round Penetration

File Name:

Drawn by: MSCO

Checked by: CB, AL

Scale: NTS

HW-DAF-12

Revision #: 00

Revised by: -

Date: 10/7/2025



Dryvit Technical Support: 800-556-7752


[www.tremcocpg.com](http://www.tremcocpg.com)



Construction Products Group



THROUGH PENETRATIONS MUST OCCUR  
BELOW BOND BEAM DEPTH AND ABOVE  
THE BASE BEAM HEIGHT (DO NOT CUT CONCRETE)



OPPOSING SIDE HERCUSTRIP  
AND CONCRETE STUD

PENETRATION - ROUND  
(MAX SIZE = 9" Ø @12" O.C. STUDS)  
(MAX SIZE = 5" Ø @8" O.C. STUDS)

DRYVIT/TREMCO APPROVED SEALANT


SPRAY FOAM INFILL DEPTH AROUND  
PENETRATION TO PANEL CUT. FLUSH CUT  
SPRAY FOAM AFTER EXPANSION

1

ELEVATION

NTS

DRYVIT/TREMCO APPROVED  
SEALANT



2

PLAN

NTS

SPRAY FOAM INFILL FULL DEPTH AROUND  
PENETRATION TO PANEL CUT

DRYVIT® FINISH COAT

DRYVIT® REINFORCING MESH  
EMBEDDED IN DRYVIT® BASE COAT

3" X 3" CONCRETE STUDS

PENETRATION - ROUND

This detail is for general informational purposes, only. The project design professional determines, in its sole discretion, whether this detail or a functionally equivalent detail is best suited for the project with respect to any architecture, engineering, and design requirements, including any local building code requirements. If this document is not reviewed and the product is not approved for use by a licensed design professional, the customer agrees that the detail may contain substantive flaws requiring correction, and hereby releases Tremco CPG Inc. from any and all liability related to the design and installation of the product. This detail is subject to change without notice. Contact Tremco to ensure you have the most recent version.

### Dryvit Direct Applied System over HercuWall® Type I Panel



Dryvit Technical Support: 800-556-7752

Detail: Dryvit Direct Applied System Over HercuWall Type I Panel Round Penetration

Drawn by: MSCO

Checked by: CB, AL

Scale: NTS

Revision #: 00

Revised by: -

Date: 10/7/2025

[www.tremcocpg.com](http://www.tremcocpg.com)

File Name:

HW-DAF-13



Construction Products Group