



METALITE® METAL PANEL SYSTEMS

Prefabricated ACM, MCM and Rainscreen Metal Panel
Systems with Beautiful Aesthetic Finish Options to Meet
Any Design Need



GET COMPLETE CONTROL OVER SCHEDULES AND QUALITY WITH METALITE® METAL PANEL SYSTEMS FROM DRYVIT®

Whether you're building new or renovating, Metalite prefabricated panel systems offer unique advantages over traditional field-applied construction.

Metalite® architectural metal wall panels give architects and specifiers the design freedom to create high-performance metal facades with lasting visual appeal. Our prefabricated metal composite material (MCM) and engineered aluminum façade panels combine clean aesthetics, durable finishes and fire-tested performance—including NFPA 285 and S134 testing—to stand up to harsh weather while supporting bold facade design. Now including standing seam roofing options, Metalite extends from façade to roof, expanding the portfolio from wall cladding to complete envelope design for a more coordinated building envelope.

Our Metalite engineered aluminum panel systems leverage proven technology from Kalzip®, now part of Tremco CPG, for North American new construction under the Dryvit Metalite brand. These systems encompass rainscreen assemblies and standing seam wall panels, with perforated options, for a wide range of facade applications. Metalite Standing Seam Roof Panels bring design continuity and performance to the roofline.

From ground-up commercial projects to façade restoration, each system is engineered to help design teams specify with confidence and coordinate a unified, connected building envelope.





Why Build with Metalite Metal Panel Systems?

Metalite prefabricated metal wall panels give architects and contractors a faster, cleaner path to high-performance facades, combining design freedom with fire-tested durability that stands up to the harshest conditions. From accelerated schedules and striking aesthetics to sustainable materials and single-source support, Metalite delivers the coordinated building envelope your project demands.



Fire-Tested Performance

Metalite systems are tested to rigorous fire safety standards, including NFPA 285 and CAN/ULC S134. You gain code compliance and added peace of mind on every facade and roof.



Any Look You Want

A wide range of colors, finishes and panel profiles gives you total design freedom. Create bold, distinctive designs from facade to roof without compromising on performance.



Built to Weather Anything

Highly corrosion-resistant aluminum stands up to harsh weather, high winds and salt spray. Your facade stays protected and low-maintenance, even in demanding coastal environments.



Stronger and More Resilient

Our systems are designed for maximum durability, many with service lives far surpassing that of competing systems.



Cost-Effective for the Long Term

A broad range of products can fit most project budgets, but our energy-efficiency and maintenance savings can also help you ensure cost-effective ownership and operation for the long term.



Simplified Installations

Blending structural integrity with lightweight construction, Metalite panels are designed for fast, efficient installations on jobsites. They ensure a comprehensive building envelope.



One Point of Contact

Our products and systems are backed by industry-leading warranties, all from a single point of contact. We can also help with everything from asset management to diagnostics to installer training.



Sustainable by Design

Fully recyclable aluminum construction reduces waste and supports green building goals like Net Zero and Passive House. You meet sustainability targets while lowering life-cycle costs.




METALITE® FC RAINSCREEN

Aluminum Rainscreen Panel System with Patented Fix Click (FC) Modular Rail Attachment

Product Overview

The Metalite FC (Fix Click) rainscreen system delivers an innovative approach to aluminum facade construction, attaching wall panels to a patented modular click rail for fast, precise installations. Panels are available in a wide range of sizes, colors and surface finishes and can be customized to meet the requirements of virtually any building project, including perforated variants. The aluminum panels resist UV damage, heavy precipitation and high wind loads, while the system meets CAN/ULC S134 fire safety standards for North American projects. The patented Fix Click assembly method streamlines both initial installation and future panel adjustments or replacements, keeping construction schedules on track.



System Components:

A typical Metalite FC Rainscreen Panel System consists of the following components, as determined by specific code and performance requirements:

1. Approved Substrate
2. Thermal Clip
3. Wall Sub-Framing
4. Metalite FC Click Rail
5. Metalite FC Panel

Features & Benefits

- ✓ **Design Flexibility:** A wide range of panel widths, colors, perforations and surface finishes delivers maximum design flexibility to meet any aesthetic requirement
- ✓ **High Structural Performance:** Robust aluminum panel composition and the unique modular rail system provide excellent resistance to high wind loads
- ✓ **Fire Safety:** The Metalite FC system is fully tested to the CAN/ULC S134 fire test standard, helping improve the overall fire safety of your structure
- ✓ **Quality Control:** Easy adjustment or replacement of panels, both during and after installation, provides improved quality control in the field
- ✓ **Ease of Installation:** The patented Fix Click attachment system enables non-directional installs, making installations efficient even in tight or complex conditions




METALITE® PERFORATED

Perforated Aluminum Facade Panels for Partial Shading, Transparency or Unique Artistic Effects

Product Overview

Metalite Perforated aluminum facade panels combine design flexibility and function, providing a subtle veiled effect to control the amount of natural light and air that can penetrate a structure. These panels are the perforated variants of the standard Metalite profile shapes, including the Metalite FC Rainscreen and Metalite Standing Seam Facade, and integrate seamlessly with their solid aluminum counterparts to ensure continuous building envelope performance. Common applications include parking garages, mechanical enclosures, sunscreens and more. With perforation patterns offering free areas ranging from 15.8% to 51%, Metalite Perforated panels deliver a broad spectrum of shading, transparency and artistic visual effects for virtually any project type.




Metalite Standing Seam Perforated Configuration:

1. Structural Framing
2. Metalite Perforated Panel Fasteners
3. Light Gauge Sub-Framing
4. Metalite Perforated Panel

Features & Benefits

- ✓ **Design Flexibility:** Complex geometries can be accommodated easily through Metalite Perforated panels' customizable design capabilities
- ✓ **Aesthetic Appeal:** A wide range of perforation patterns are available, with free areas ranging from 15.8% to 51% for unique and artistic visual effects
- ✓ **Cleaner Look:** Metalite Perforated's longer spanning capabilities reduce framing requirements and deliver a polished, unobstructed facade aesthetic
- ✓ **Corrosion Resistant:** The finished system provides excellent corrosion resistance, making it suitable for severe and high-moisture environments including salt spray
- ✓ **Increased Jobsite Productivity:** Optimized aluminum panel geometry delivers low inherent weight and reduced material and labor demands on jobsites



Metalite FC Rainscreen Perforated Configuration:


1. Adjustable Sub-Construction Framing
2. Vertical Flashing
3. SE Click Rail
4. Metalite Perforated FC Panel

METALITE® STANDING SEAM FACADE (SSF)

A Multi-Use Aluminum Facade Panel Designed to Achieve Seamless, Weathertight Integrity

Product Overview

Metalite Standing Seam panels enhance a building's aesthetic appeal with striking vertical or horizontal fold lines, creating dynamic modern or traditional looks. A broad spectrum of surfaces and colors gives architects, developers and building owners the ability to match a wide variety of design visions and architectural styles. Exceptional weather resistance and low maintenance requirements make Metalite Standing Seam façade panels a reliable, long-lasting choice for sustainable building envelopes. Their simplified, streamlined design also supports easier handling on jobsites and faster installations, with tested compatibility with Tremco sealants, air barriers and waterproofing products for seamless protection from the foundation to the roof.



1. Approved Substrate
2. Holding Hand Bracket
3. Facade Insulation
4. L-Angle
5. Composite Clip
6. Metalite Standing Seam Aluminum Profiled Sheet

Features & Benefits

- ✓ **Long-Lasting Protection:** Constructed from highly corrosion-resistant aluminum, Metalite Standing Seam panels provide reliable long-term building protection and an extended service life
- ✓ **Seamless Design:** A seamless profile and high formability deliver extensive design flexibility and a flawless finished aesthetic
- ✓ **Customizable Look:** Horizontal or vertical standing seam fold lines add dynamic, modern or traditional visual appeal to virtually any structure
- ✓ **Beautiful Aesthetics:** High-quality refined, metallic or coated aluminum surfaces are available in a wide variety of colors for a visually striking facade
- ✓ **Ease of Installation:** A simplified design allows for easier handling on jobsites and smoother, faster installations




METALITE® STANDING SEAM ROOF (SSR)

Precision-Formed, Lightweight and Highly Durable Aluminum Roof Panels Designed for New Construction

Product Overview

Metalite Standing Seam Roof panels extend the proven Metalite portfolio into roofing, giving design teams a single compatible system for both walls and roofs in new commercial construction. Precision-formed aluminum sheets are mechanically seamed for structural capacity and weathertightness, delivering long-lasting protection from the ground up. The aluminum construction provides excellent corrosion resistance and minimal maintenance requirements, even in demanding and coastal environments. Lightweight, fully recyclable and available in a wide range of seam heights, pan widths, colors and finishes, Metalite panels support true aesthetic and functional harmony across the entire building exterior.



System Components:

A typical Metalite Standing Seam Roof panel system consists of the following components, as determined by specific code and performance requirements:

1. Approved Substrate (Metal Decking Shown)
2. Vapor Control Layer
3. Insulation
4. E Clips
5. Standing Seam Roof Panel
6. Steel Rafter

Features & Benefits

- ✓ **Coordinated Envelope Design:** Metalite Standing Seam Roof panels extend the established Metalite wall panel family into roofing, allowing design teams to coordinate color, finish and profile from wall to roof for a unified building envelope
- ✓ **Design Flexibility:** The aluminum material adapts easily to almost any shape or curve, supporting design concepts from the earliest sketch through final installation
- ✓ **Concealed Clip System:** Panels are anchored with concealed clips engineered to accommodate thermal cycling of the roof sheet, preserving a clean, uninterrupted surface appearance while ensuring long-term structural integrity
- ✓ **Future-Ready Performance:** Fully recyclable aluminum construction aligns with sustainability goals, reduces life-cycle costs and supports green building certification requirements



METALITE® 1100

High-Performance Vertical Wall Aluminum Composite Material System

Product Overview

Metalite® 1100 is a prefabricated panel system that provides a sleek, flat metal look that will not deform due to thermal expansion. When fully installed with sealant and backer rods in the joints, it works as a complete barrier system.




Additionally, mechanically-fastened perimeter extrusions give it stronger edge condition for lasting durability— making it especially well suited for use on canopies, architectural fins, beam wraps and column covers. It is lightweight, easy to install, and backed by a market leading warranty.



Features & Benefits

- ✓ Sleek, flat metal look that will not deform due to thermal expansion
- ✓ Mechanically-fastened perimeter extrusions for lasting durability at edges
- ✓ Works as a barrier system with sealant and backer rods in joints
- ✓ Lightweight and offers quick and easy installation
- ✓ Market leading warranty up to 30 years for Metal Finish, 10 years for Delamination, 5 years for Fabrication Workmanship

Diverse Color Options



METALITE® 3100

High-Performance Vertical Wall Aluminum Composite Material System

Product Overview

Metalite® 3100 is a high-performance vertical wall system, suitable for use in the most demanding applications. Designed, engineered and tested to the highest performance criteria, this system provides unrivaled structural integrity. The system is custom-fabricated with Aluminum Composite Material (ACM) which is known for flatness, ease of fabrication and clean, sleek appearances, to achieve virtually any design.

This system incorporates a route-and-return fabrication technique with continuous proprietary interlocking extrusions. The panel joints do not require field-applied sealants as the weather-proofing is engineered into the joinery via concealed, integral gaskets.



Features & Benefits

- ✓ Metalite 3100 system offers quick and easy installation
- ✓ Market leading warranty up to 30 years for Metal Finish, 10 years for Delamination, 5 years for Fabrication Workmanship
- ✓ Lightweight system at 2.89 lbs/ft²
- ✓ Weeped to allow condensation to escape the cavity



Diverse Color Options



METALITE® 8000

Drained/Back-Ventilated Rainscreen Aluminum Composite Material System

Product Overview

The Metalite® 8000 system was specially designed to revolutionize MCM prefabricated panels with its combination of visual appeal, quick installation, low maintenance, and lightweight construction. Quick and easy installation processes ensures a hassle-free experience, with minimal components required, streamlining the setup without compromising on quality.





Built to withstand the elements, from fire to rain and everyday wear and tear, this system stands strong as a reliable cladding. Metalite 8000 is also our most rigorously verified system, holding ICC-ES recognition (ESR-4474) and publicly listed in Intertek's directory of building products, confirming full compliance with the 2024 International Building Code. Its durability is matched by its sustainability, as it can be recycled, aligning with eco-conscious initiatives. Metalite 8000 capitalizes on the beauty and sleek design of Aluminum Composite Material (ACM) systems while simultaneously delivering high-quality performance.



Features & Benefits

- ✓ Metalite 8000 system offers quick and easy installation
- ✓ Market leading warranty up to 30 years for Metal Finish, 10 years for Delamination, 5 years for Fabrication Workmanship
- ✓ Lightweight system at 2.29 lbs/ft²
- ✓ Achieves a clean exterior due to its rivetless design
- ✓ Passes NFPA 285 testing and quality assurance quality control

Diverse Color Options



METALITE FC, SSR, AND SSF METAL WALL, ROOF AND FLAT STOCK

COLOR CHART

Standard Colors

(Custom color matching available upon request)



Anodized / Specialty Finishes

Additional cost will apply.




Metallic Colors

Additional cost will apply.



Premium Colors

Additional cost will apply.



ALL COLORS ARE REPRESENTATIVE OF COLORS OFFERED AND ARE NOT INTENDED FOR MATCHING PURPOSES. BEFORE PLACING AN ORDER, PLEASE REQUEST AN ACTUAL COLOR SAMPLE.



800.852.6013 | dryvit.com

Some project images shown in this brochure feature aluminum facade and roof panel systems previously sold under the Kalzip® brand, now offered as part of the Metalite portfolio within Tremco CPG.

